

WHAT IS CLAIMED IS:

- Sub
A-17
1. A package containing at least one set of stacked recording media consisting of an image-receiving sheet having an image-receiving layer which is fed to a recording medium holding member and a plurality of transfer sheets each having a toner layer which are successively fed to the recording medium holding member so that the toner layer of each transfer sheet may be brought into contact with the image-receiving layer of the image-receiving sheet, said image-receiving sheet and said transfer sheets being stacked in order of feed to the recording medium holding member.
2. A package according to claim 1, wherein the top sheet of said set of stacked recording media is said image-receiving sheet.
3. A package according to claim 2, which contains a plurality of said sets of stacked recording media.
4. A package according to claim 3, wherein said image-receiving layer of said image-receiving sheet and said toner layer of each of said transfer sheets face in opposite directions.
5. A package according to any one of claims 1 to 4, wherein an interleaving sheet is inserted between every adjacent recording media.
6. A package according to claim 5, wherein said interleaving sheet

extends outward from at least one side of said set of recording media.

Sub
A27
7. A package according to claim 6, wherein said interleaving sheet has at least one perforation in the extension thereof, and said interleaving sheet is fixed to a recording apparatus by making use of said perforation.

8. A package according to claim 5, wherein an interleaving sheet is inserted between said packaging material and said image-receiving layer of said image-receiving sheet which is the uppermost sheet of said set or between said packaging material and said toner layer of the lowermost transfer sheet.

9. A package according to claim 5, wherein said interleaving sheet is made of the same material as the substrate of said recording media.

10. A package according to claim 5, wherein at least the side of said interleaving sheet that is in contact with said recording media has the same properties or conditions as the side of said recording media opposite to said image-receiving layer or said toner layer.

11. A feed cassette comprising a cassette body and preset recording-media containing a set of stacked recording media consisting of an image-receiving sheet having an image-receiving layer which is fed to a recording medium holding member and a plurality of transfer sheets each having a toner layer which are successively fed to the recording medium holding member so that the toner layer of each transfer sheet may be brought into contact with the image-receiving layer of the image-receiving sheet, said image-receiving sheet

Sub
A2
cont

and said transfer sheets being stacked in an order of feeding to the recording medium holding member.

12. A feed cassette according to claim 11, which contains a plurality of
5 the sets of stacked recording media.

13. A feed cassette according to claim 12, wherein said image-receiving layer of said image-receiving sheet and said toner layer of each of said transfer sheets face in opposite directions.

14. A feed cassette according to any one of claims 11 to 13, wherein an interleaving sheet is inserted between every adjacent recording media.

15. A feed cassette according to claim 14, wherein an interleaving
15 sheet is inserted between said cassette body and the image-receiving layer of said image-receiving sheet which is the uppermost sheet of said set and between said cassette body and the toner layer of the lowermost transfer sheet.

16. A recording medium feed cassette according to claim 15, wherein
20 said interleaving sheet extends outward from at least one side of said set of recording media.

Sub
A3

17. A recording medium feed cassette according to claim 16, wherein
25 said interleaving sheet extends outward from the side of said set of recording media opposite to the side where a pickup mechanism of a recording apparatus

Sub
A3
cont

is applied.

18. A recording medium feed cassette according to claim 16, wherein
said recording media stick out from the side of said interleaving sheets where a
5 pickup mechanism of a recording apparatus is applied.

19. A recording medium feed cassette according to claim 16, wherein
said cassette body has a member for fixing the extension of the interleaving
sheets.

10

20. A recording medium feed cassette according to claim 15, wherein a
cushioning material for restraining movement of the recording media in the
cassette body is interposed between said interleaving sheet and the cassette
body.

15

21. A recording medium feed cassette according to claim 20, wherein
said cushioning material is dust-free sponge.

22. A recording medium feed cassette according to claim 11, wherein
20 said cassette body is made of metal.

23. A recording medium feed cassette according to claim 11, wherein
said cassette body is made of paperboard.

25

24. A recording medium feed cassette according to claim 11, wherein

09987362-111401

said cassette body is packaged in an external packaging sheet.

25. A recording medium feed cassette according to claim 24, wherein
said cassette body packaged in an external packaging sheet is further packaged
5 in a paperboard box.

26. A recording medium feed cassette according to claim 11, wherein
said cassette body has an opening through which each recording medium is
picked up and fed, said opening is covered with a lid such that the opening is
10 closed and opened.

27. A recording medium feed cassette according to claim 26, wherein
said lid is detachable from and attachable to the cassette body.

09087362-111401
15 Sub A4 28. A recording apparatus comprising a recording medium holding
member which moves while holding a recording medium thereon and a
recording head which moves in the direction perpendicular to the moving
direction of said recording medium holding member while irradiating said
recording medium with a laser beam spot, wherein said recording apparatus
20 has a cassette holder which supports a recording medium feed cassette
containing at least one set of preset recording media stacked in order of feed to
said recording medium holding member, said recording media being fed from
said cassette mounted on said cassette holder to said recording medium holding
member.

25